


STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION ALTITUDE 6500

Kraków APPROACH 121.075, 126.975, 135.405
Katowice TOWER 129.255
ATIS 120.230

Katowice - Pyrzowice
RNAV RWY 08

BAVOK 4V GOVRI 5V KUKAM 4V LENOV 5V
MEBAN 5V MOFKE 1V UWLER 1V



1. All aircraft which cannot follow and utilize RNAV 1 procedures shall advise Krakow APP upon first contact. Radar vectoring will be provided.
2. Type of expected approach will be broadcasted by ATIS. Crews willing to perform other approach type shall advise Krakow APP upon first contact.
3. Holding patterns as directed by ATC, available for non RNAV 1 approved aircraft.
4. During peak hours expect radar vectoring at downwind position to expedite traffic handling and for separation reasons.
5. For descent planning expect base turn abeam 10-15 NM final.

RADIO COMMUNICATION FAILURE PROCEDURE

1. Set transponder to 7600.
2. Continue with assigned STAR or on previously assigned heading. Descend to last cleared and acknowledged level.
3. After 3 minutes proceed direct to KAX DVOR/DME and hold. Descend in holding pattern. Execute VOR approach for preferred runway and land.

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

Katowice - Pyrzowice
RNAV RWY 08
BAVOK 4V GOVRI 5V KUKAM 4V LENOV 5V MEBAN 5V MOFKE 1V UWLER 1V

BAVOK 4V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	BAVOK	-	-	-	-	RNAV 1
002	TF	WUDWE	050 (055.6)	13.61	-FL140	-	RNAV 1
003	TF	TAHEF	043 (049.4)	9.21	-FL120	-	RNAV 1
004	TF	JEZWA	044 (049.5)	5.51	-	-220	RNAV 1
005	TF	KT791	354 (359.9)	5.85	-	-220	RNAV 1
006	TF	KT792	264 (269.8)	5.00	-	-220	RNAV 1
007	TF	EZWOP	354 (359.9)	5.30	+5000 ft	-220	RNAV 1

GOVRI 5V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	GOVRI	-	-	-	-	RNAV 1
002	TF	QAQUW	268 (273.8)	30.03	-	-	RNAV 1
003	TF	OFGOK	269 (274.8)	18.19	+FL120	-250	RNAV 1
004	TF	KT774	317 (323.3)	16.53	-	-	RNAV 1
005	TF	KT776	264 (269.9)	9.00	-	-	RNAV 1
006	TF	KT777	264 (269.8)	5.00	-	-	RNAV 1
007	TF	KT781	264 (269.8)	5.00	-	-	RNAV 1
008	TF	KT782	264 (269.8)	5.00	-	-	RNAV 1
009	TF	KT791	264 (269.8)	5.00	-	-220	RNAV 1
010	TF	KT792	264 (269.8)	5.00	-	-220	RNAV 1
011	TF	EZWOP	354 (359.9)	5.30	+5000 ft	-220	RNAV 1

KUKAM 4V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	KUKAM	-	-	-	-	RNAV 1
002	TF	HIDBE	233 (239.3)	6.75	+FL180	-	RNAV 1
003	TF	ATSEW	233 (239.1)	11.63	-	-250	RNAV 1
004	TF	KT721	227 (233.2)	8.43	-	-	RNAV 1
005	TF	KT722	264 (269.8)	11.57	-	-	RNAV 1
006	TF	KT723	264 (269.8)	5.00	-	-	RNAV 1
007	TF	KT724	264 (269.8)	5.00	-	-	RNAV 1
008	TF	KT726	264 (269.8)	5.00	-	-220	RNAV 1
009	TF	KT727	264 (269.9)	5.00	-	-220	RNAV 1
010	TF	KT728	264 (269.8)	5.00	-	-220	RNAV 1
011	TF	KT729	174 (179.9)	5.30	-	-220	RNAV 1
012	TF	EZWOP	084 (089.9)	5.00	+5000 ft	-220	RNAV 1

LENOV 5V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	LENOV	-	-	-	-	RNAV 1
002	TF	UMTAH	304 (309.7)	22.45	-FL240	-	RNAV 1
003	TF	ENNAW	303 (309.4)	19.52	-	-	RNAV 1

004	TF	IFZER	341 (347.4)	10.00	-	-	RNAV 1
005	TF	OFGOK	309 (315.2)	18.82	+FL120	-250	RNAV 1
006	TF	KT774	317 (323.3)	16.53	-	-	RNAV 1
007	TF	KT776	264 (269.9)	9.00	-	-	RNAV 1
008	TF	KT777	264 (269.8)	5.00	-	-	RNAV 1
009	TF	KT781	264 (269.8)	5.00	-	-	RNAV 1
010	TF	KT782	264 (269.8)	5.00	-	-	RNAV 1
011	TF	KT791	264 (269.8)	5.00	-	-220	RNAV 1
012	TF	KT792	264 (269.8)	5.00	-	-220	RNAV 1
013	TF	EZWOP	354 (359.9)	5.30	+5000 ft	-220	RNAV 1

MEBAN 5V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	MEBAN	-	-	-	-	RNAV 1
002	TF	DUZOW	041 (046.9)	21.90	-	-	RNAV 1
003	TF	ENNAW	041 (047.0)	6.89	-	-	RNAV 1
004	TF	IFZER	341 (347.4)	10.00	-	-	RNAV 1
005	TF	OFGOK	309 (315.2)	18.82	+FL120	-250	RNAV 1
006	TF	KT774	317 (323.3)	16.53	-	-	RNAV 1
007	TF	KT776	264 (269.9)	9.00	-	-	RNAV 1
008	TF	KT777	264 (269.8)	5.00	-	-	RNAV 1
009	TF	KT781	264 (269.8)	5.00	-	-	RNAV 1
010	TF	KT782	264 (269.8)	5.00	-	-	RNAV 1
011	TF	KT791	264 (269.8)	5.00	-	-220	RNAV 1
012	TF	KT792	264 (269.8)	5.00	-	-220	RNAV 1
013	TF	EZWOP	354 (359.9)	5.30	+5000 ft	-220	RNAV 1

MOFKE 1V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	MOFKE	-	-	-	-	RNAV 1
002	TF	FUMCA	072 (077.8)	19.00	-FL130	-	RNAV 1
003	TF	CUZAC	083 (089.0)	10.34	-	-220	RNAV 1
004	TF	KT726	174 (179.9)	5.60	-	-220	RNAV 1
005	TF	KT727	264 (269.9)	5.00	-	-220	RNAV 1
006	TF	KT728	264 (269.8)	5.00	-	-220	RNAV 1
007	TF	KT729	174 (179.9)	5.30	-	-220	RNAV 1
008	TF	EZWOP	084 (089.9)	5.00	+5000 ft	-220	RNAV 1

UWLER 1V

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	UWLER	-	-	-	-	RNAV 1
002	TF	CUZAC	155 (160.9)	20.82	-	-220	RNAV 1
003	TF	KT726	174 (179.9)	5.60	-	-220	RNAV 1
004	TF	KT727	264 (269.9)	5.00	-	-220	RNAV 1
005	TF	KT728	264 (269.8)	5.00	-	-220	RNAV 1
006	TF	KT729	174 (179.9)	5.30	-	-220	RNAV 1
007	TF	EZWOP	084 (089.9)	5.00	+5000 ft	-220	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
ATSEW	50 38 59.5 N	019 38 46.1 E
BAVOK	50 00 10.0 N	018 11 43.0 E
CUZAC	50 39 28.4 N	018 46 28.2 E
OFGOK	50 10 07.6 N	019 47 10.6 E
ENNAW	49 46 59.9 N	020 11 04.1 E
EZWOP	50 28 34.2 N	018 38 39.4 E
FUMCA	50 39 16.6 N	018 30 13.8 E
IFZER	49 56 45.0 N	020 07 42.4 E
GOVRI	50 06 25.3 N	021 01 54.0 E
HIDBE	50 44 56.1 N	019 54 29.1 E
DUZOW	49 42 17.9 N	020 03 18.5 E
JEZWA	50 17 27.1 N	018 46 30.7 E
KT721	50 33 57.3 N	019 28 09.8 E
KT722	50 33 55.8 N	019 10 01.0 E
KT723	50 33 54.9 N	019 02 10.5 E
KT724	50 33 53.9 N	018 54 20.0 E
KT726	50 33 52.9 N	018 46 29.5 E
KT727	50 33 51.9 N	018 38 39.0 E
KT728	50 33 50.9 N	018 30 48.5 E
KT729	50 28 33.2 N	018 30 49.8 E
KT774	50 23 22.9 N	019 31 48.1 E
KT776	50 23 21.5 N	019 17 44.3 E
KT777	50 23 20.5 N	019 09 55.6 E
KT781	50 23 19.5 N	019 02 06.8 E
KT782	50 23 18.6 N	018 54 18.1 E
KT791	50 23 17.6 N	018 46 29.3 E
KT792	50 23 16.6 N	018 38 40.6 E
KUKAM	50 48 22.0 N	020 03 38.0 E
LENOV	49 20 11.0 N	021 00 37.0 E
MEBAN	49 27 18.0 N	019 38 48.0 E
MOFKE	50 35 12.0 N	018 01 06.0 E
QAQUW	50 08 32.4 N	020 15 21.3 E
TAHEF	50 13 52.2 N	018 39 59.1 E
UMTAH	49 34 34.4 N	020 34 13.4 E
UWLER	50 59 07.0 N	018 35 41.0 E
WUDWE	50 07 52.4 N	018 29 07.4 E