



INSTRUMENT
APPROACH
CHART - ICAOAERODROME ELEV 607 ft
THR RWY 07 ELEV 592 ft
HEIGHTS RELATED TO THR RWY 07Łódź DELIVERY 120.005
Łódź TOWER 124.230
ATIS 135.680Łódź
RNP
RWY 07 (CAT A/B/C/D)

TRANSITION ALTITUDE 6500

MISSED APPROACH

Climb straight ahead on course 065° to LL751,
turn left to LL701 climbing to 3000 (2408).
Further instructions from ATC.
Turn limited to 220 kt IAS max.



OCA (OCH)						Distance FAF - MAPt 4.3 NM							
Cat. of ACFT		A	B	C	D	Speed	kt	80	100	120	140	160	180
Straight - in	LPV	838 (246)	850 (258)	858 (266)	869 (277)	Time	min : s	3 : 12	2 : 34	2 : 08	1 : 50	1 : 36	1 : 25
	LNAV / VNAV	870 (278)	880 (288)	890 (298)	900 (308)	Rate of descent	ft / min	420	530	630	740	840	950
	LNAV	1020 (428)	1020 (428)	1020 (428)	1020 (428)								
						Final approach distance/altitude (height)							
Circling (OCH AAL)*		1120 (513)	1470 (863)	1570 (963)	2000 (1393)	Distance		4		3		2	
* ACFT cat C/D circling north of aerodrome only.						Altitude (height)		1910 (1318)		1590 (998)		1270 (678)	

Łódź
RNP
RWY 07 (CAT A/B/C/D)

EPLL RNP RWY 07 FROM LL701

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	VPA/TCH	NAV SPEC
001	IF	LL701	-	-	-	-	+3000 ft	-	-	RNP APCH
002	TF	LL711	-	170 (175.93)	2.30	-	-	-	-	RNP APCH
003	TF	LL721	-	154 (160.43)	4.18	L	+2700 ft	-210	-	RNP APCH
004	TF	LL731	-	064 (070.49)	4.00	-	+2000 ft	-	-	RNP APCH
005	TF	RW07	Y	065 (070.53)	4.27	-	@642 ft	-	-3.0°/50	RNP APCH
006	CF	LL751	Y	065 (070.52)	7.76	-	-	-220	-	RNP APCH
007	DF	LL701	-	-	-	L	+3000 ft	-220	-	RNP APCH

WAYPOINT IDENTIFIER	COORDINATES	
LL701 (IAF)	514627.1N	0190717.8E
LL711	514409.3N	0190733.6E
LL721 (IF)	514013.5N	0190948.4E
LL731 (FAP/FAF)	514133.4N	0191551.9E
RW07 (MAPt)	514258.4N	0192219.9E
LL751 (MATF)	514532.9N	0193406.8E

SBAS FAS Data Block Coding Data

EPLL RNP RWY 07	
Input Data	
Parameters	Values
Operation Type:	0
SBAS Provider:	1 (EGNOS)
Airport Identifier:	EPLL
Runway:	07
Runway Letter:	0 (None)
Approach Performance Designator:	0
Route Indicator:	
Reference Path Data Selector:	0
Reference Path Identifier:	E07A
LTP/FTP Latitude:	514258.4000N
LTP/FTP Longitude:	0192219.8800E
LTP/FTP Ellipsoidal Height (metres):	214.3
FPAP Latitude:	514325.2100N
Delta FPAP Latitude (seconds):	26.8100
FPAP Longitude:	0192422.7500E
Delta FPAP Longitude (seconds):	122.8700
Threshold Crossing Height:	50.0
TCH Units Selector:	0 (feet)
Glidepath Angle (degrees):	3.00
Course Width (metres):	105.00
Length Offset (metres):	0
HAL (metres):	40.0
VAL (metres):	35.0

Output Data											
Data Block	10	0C	0C	10	05	07	00	00	01	37	
	30	05	C0	B6	31	16	D0	4A	50	08	
	5F	1C	74	D1	00	EC	BF	03	F4	01	
	2C	01	64	00	C8	AF	2B	CC	E4	4B	
Calculated CRC Value	2BCCE44B										

Required Additional Data (not CRC wrapped)	
ICAO Code	LL
LTP/FTP Orthometric Height (metres)	180.6