

AKAPI 3M DEKUT 3M DENKO 3M
KELOD 3M MASIV 3M NILPU 3M



STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

POZNAŃ/Ławica
RNAV RWY 28
AKAPI 3M DEKUT 3M DENKO 3M KELOD 3M MASIV 3M NILPU 3M

AKAPI 3M

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	AKAPI	-	-	-FL150	-250	RNAV 1
002	TF	PO721	048 (054.0)	12.39	-FL120	-250	RNAV 1
003	TF	PO706	028 (033.5)	11.61	-FL090	-250	RNAV 1
004	TF	GOBSU	028 (033.7)	6.29	-	-220	RNAV 1
005	TF	OLBUV	102 (107.7)	7.51	-	-220	RNAV 1
006	TF	REKRA	102 (107.8)	5.00	-	-210	RNAV 1
007	TF	PO704	012 (017.9)	5.50	-	-210	RNAV 1
008	TF	PO703	282 (288.0)	5.00	-	-210	RNAV 1
009	TF	NUNBI	282 (287.9)	5.00	-	-210	RNAV 1

DEKUT 3M

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	DEKUT	-	-	-FL170	-	RNAV 1
002	TF	PO742	185 (190.6)	23.10	+FL100	-250	RNAV 1
003	TF	PO741	152 (158.0)	5.62	-	-250	RNAV 1
004	TF	BANPI	154 (160.3)	11.78	-	-220	RNAV 1
005	TF	RERMU	102 (107.7)	8.20	-	-210	RNAV 1
006	TF	PO703	192 (197.9)	5.50	-	-210	RNAV 1
007	TF	NUNBI	282 (287.9)	5.00	-	-210	RNAV 1

DENKO 3M

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	DENKO	-	-	-FL170	-	RNAV 1
002	TF	PO743	091 (096.4)	19.62	-	-	RNAV 1
003	TF	PO742	091 (096.8)	20.26	+FL100	-250	RNAV 1
004	TF	PO741	152 (158.0)	5.62	-	-250	RNAV 1
005	TF	BANPI	154 (160.3)	11.78	-	-220	RNAV 1
006	TF	RERMU	102 (107.7)	8.20	-	-210	RNAV 1
007	TF	PO703	192 (197.9)	5.50	-	-210	RNAV 1
008	TF	NUNBI	282 (287.9)	5.00	-	-210	RNAV 1

KELOD 3M

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	KELOD	-	-	-FL170	-	RNAV 1
002	TF	PO707	079 (084.5)	24.92	-FL090	-250	RNAV 1
003	TF	PO706	102 (107.3)	13.95	-FL090	-250	RNAV 1
004	TF	GOBSU	028 (033.7)	6.29	-	-220	RNAV 1
005	TF	OLBUV	102 (107.7)	7.51	-	-220	RNAV 1
006	TF	REKRA	102 (107.8)	5.00	-	-210	RNAV 1
007	TF	PO704	012 (017.9)	5.50	-	-210	RNAV 1
008	TF	PO703	282 (288.0)	5.00	-	-210	RNAV 1
009	TF	NUNBI	282 (287.9)	5.00	-	-210	RNAV 1

MASIV 3M

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	MASIV	-	-	-FL150	-250	RNAV 1
002	TF	PO732	283 (288.6)	11.75	+FL100	-250	RNAV 1
003	TF	PO731	282 (288.4)	15.57	-FL090	-220	RNAV 1
004	TF	OLBUV	012 (017.8)	6.00	-	-210	RNAV 1
005	TF	REKRA	102 (107.8)	5.00	-	-210	RNAV 1
006	TF	PO704	012 (017.9)	5.50	-	-210	RNAV 1
007	TF	PO703	282 (288.0)	5.00	-	-210	RNAV 1
008	TF	NUNBI	282 (287.9)	5.00	-	-210	RNAV 1

NILPU 3M

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	NILPU	-	-	-FL130	-250	RNAV 1
002	TF	PO731	351 (356.7)	12.21	-FL090	-220	RNAV 1
003	TF	OLBUV	012 (017.8)	6.00	-	-210	RNAV 1
004	TF	REKRA	102 (107.8)	5.00	-	-210	RNAV 1
005	TF	PO704	012 (017.9)	5.50	-	-210	RNAV 1
006	TF	PO703	282 (288.0)	5.00	-	-210	RNAV 1
007	TF	NUNBI	282 (287.9)	5.00	-	-210	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
AKAPI	51 55 12.0 N	016 28 22.0 E
BANPI	52 28 00.4 N	017 05 06.3 E
DEKUT	53 06 58.0 N	017 02 07.0 E
DENKO	52 49 00.7 N	015 49 57.0 E
GOBSU	52 17 20.0 N	017 00 42.7 E
KELOD	52 14 02.0 N	015 53 00.0 E
MASIV	52 00 44.9 N	017 51 23.9 E
NILPU	51 57 10.0 N	017 10 30.0 E
NUNBI	52 21 48.2 N	017 07 20.0 E
OLBUV	52 15 02.8 N	017 12 20.9 E
PO703	52 20 16.4 N	017 15 05.8 E
PO704	52 18 44.2 N	017 22 51.0 E
PO706	52 12 06.2 N	016 55 01.8 E
PO707	52 16 17.4 N	016 33 23.0 E
PO721	52 02 26.8 N	016 44 36.7 E
PO731	52 09 20.5 N	017 09 21.7 E
PO732	52 04 28.5 N	017 33 21.3 E
PO741	52 39 05.1 N	016 58 36.5 E
PO742	52 44 17.2 N	016 55 09.0 E
PO743	52 46 44.9 N	016 22 03.3 E
REKRA	52 13 30.7 N	017 20 05.3 E
RERMU	52 25 30.0 N	017 17 51.3 E