

Warszawa - Radom


RNP RWY 07

DOSIX 1S GERVI 1S GOGUS 1S  
HURTE 1S PENEX 1S VADOL 1S

STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO

TRANSITION ALTITUDE 6500

|                    |                                    |                 |         |
|--------------------|------------------------------------|-----------------|---------|
| Warszawa APPROACH  | 125.055, 128.805, 129.380, 135.930 | Radom TOWER     | 118.430 |
| MIL Radom APPROACH | 128.680                            | MIL Radom TOWER | 118.430 |



AIRAC effective date 30 OCT 2025

AIP POLAND

STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO

Warszawa-Radom  
RNP RWY 07  
DOSIX 1S GERVI 1S GOGUS 1S HURTE 1S PENEX 1S VADOL 1S

DOSIX 1S

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | DOSIX               | -                      | -             | -FL140   | -          | RNP 1    |
| 002             | TF              | RA823               | 115 (122.6)            | 8.14          | -        | -          | RNP 1    |
| 003             | TF              | ADOXO               | 154 (161.4)            | 10.89         | -        | -          | RNP 1    |
| 004             | TF              | RA607               | 110 (117.2)            | 15.73         | -FL140   | -          | RNP 1    |
| 005             | TF              | RA622               | 155 (162.5)            | 32.98         | -        | -250       | RNP 1    |
| 006             | TF              | IFRAL               | 094 (101.7)            | 6.21          | -        | -          | RNP 1    |
| 007             | TF              | RA621               | 095 (101.8)            | 2.13          | -FL110   | -          | RNP 1    |
| 008             | TF              | RA601               | 088 (095.2)            | 14.53         | -7000 ft | -220       | RNP 1    |
| 009             | TF              | RA401               | 151 (158.1)            | 6.00          | +5000 ft | -220       | RNP 1    |

GERVI 1S

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | GERVI               | -                      | -             | -        | -          | RNP 1    |
| 002             | TF              | RA609               | 183 (190.4)            | 14.00         | -FL130   | -          | RNP 1    |
| 003             | TF              | SUMAM               | 183 (190.3)            | 19.26         | -        | -          | RNP 1    |
| 004             | TF              | RA709               | 204 (210.8)            | 7.23          | -        | -          | RNP 1    |
| 005             | TF              | ASKOX               | 194 (201.7)            | 9.24          | +FL100   | -250       | RNP 1    |
| 006             | TF              | RA623               | 279 (285.8)            | 13.98         | -        | -          | RNP 1    |
| 007             | TF              | RA602               | 278 (285.5)            | 15.36         | +FL80    | -          | RNP 1    |
| 008             | TF              | RA601               | 241 (248.4)            | 14.05         | -7000 ft | -220       | RNP 1    |
| 009             | TF              | RA401               | 151 (158.1)            | 6.00          | +5000 ft | -220       | RNP 1    |

GOGUS 1S

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | GOGUS               | -                      | -             | -        | -          | RNP 1    |
| 002             | TF              | RA622               | 103 (110.5)            | 20.63         | -        | -250       | RNP 1    |
| 003             | TF              | IFRAL               | 094 (101.7)            | 6.21          | -        | -          | RNP 1    |
| 004             | TF              | RA621               | 095 (101.8)            | 2.13          | -FL110   | -          | RNP 1    |
| 005             | TF              | RA601               | 088 (095.2)            | 14.53         | -7000 ft | -220       | RNP 1    |
| 006             | TF              | RA401               | 151 (158.1)            | 6.00          | +5000 ft | -220       | RNP 1    |

HURTE 1S

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | HURTE               | -                      | -             | -        | -250       | RNP 1    |
| 002             | TF              | RA606               | 344 (351.1)            | 7.28          | -FL90    | -          | RNP 1    |
| 003             | TF              | RA604               | 344 (351.0)            | 5.00          | -        | -          | RNP 1    |
| 004             | TF              | RA601               | 061 (067.9)            | 8.03          | -7000 ft | -220       | RNP 1    |
| 005             | TF              | RA401               | 151 (158.1)            | 6.00          | +5000 ft | -220       | RNP 1    |

## PENEX 1S

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | PENEX               | -                      | -             | -FL140   | -          | RNP 1    |
| 002             | TF              | RA823               | 157 (163.8)            | 18.02         | -        | -          | RNP 1    |
| 003             | TF              | ADOXO               | 154 (161.4)            | 10.89         | -        | -          | RNP 1    |
| 004             | TF              | RA607               | 110 (117.2)            | 15.73         | -FL140   | -          | RNP 1    |
| 005             | TF              | RA622               | 155 (162.5)            | 32.98         | -        | -250       | RNP 1    |
| 006             | TF              | IFRAL               | 094 (101.7)            | 6.21          | -        | -          | RNP 1    |
| 007             | TF              | RA621               | 095 (101.8)            | 2.13          | -FL110   | -          | RNP 1    |
| 008             | TF              | RA601               | 088 (095.2)            | 14.53         | -7000 ft | -220       | RNP 1    |
| 009             | TF              | RA401               | 151 (158.1)            | 6.00          | +5000 ft | -220       | RNP 1    |

## VADOL 1S

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | VADOL               | -                      | -             | -FL140   | -          | RNP 1    |
| 002             | TF              | ASKOX               | 288 (295.4)            | 10.46         | +FL100   | -250       | RNP 1    |
| 003             | TF              | RA623               | 279 (285.8)            | 13.98         | -        | -          | RNP 1    |
| 004             | TF              | RA602               | 278 (285.5)            | 15.36         | +FL80    | -          | RNP 1    |
| 005             | TF              | RA601               | 241 (248.4)            | 14.05         | -7000 ft | -220       | RNP 1    |
| 006             | TF              | RA401               | 151 (158.1)            | 6.00          | +5000 ft | -220       | RNP 1    |

| WAYPOINT IDENTIFIER | COORDINATES  |               |
|---------------------|--------------|---------------|
| ADOXO               | 52 06 11.0 N | 019 30 26.0 E |
| ASKOX               | 51 21 51.1 N | 021 51 04.6 E |
| DOSIX               | 52 20 53.0 N | 019 13 39.0 E |
| GERVI               | 52 09 19.0 N | 022 12 03.0 E |
| GOGUS               | 51 34 48.0 N | 019 37 59.0 E |
| HURTE               | 51 09 20.4 N | 020 36 12.0 E |
| IFRAL               | 51 26 15.5 N | 020 18 36.0 E |
| PENEX               | 52 33 47.0 N | 019 16 38.0 E |
| RA401               | 51 18 54.1 N | 020 48 35.9 E |
| RA601               | 51 24 27.8 N | 020 45 02.1 E |
| RA602               | 51 29 39.5 N | 021 05 53.6 E |
| RA604               | 51 21 27.4 N | 020 33 09.5 E |
| RA606               | 51 16 31.4 N | 020 34 24.0 E |
| RA607               | 51 58 57.5 N | 019 53 03.1 E |
| RA609               | 51 55 33.7 N | 022 07 58.9 E |
| RA621               | 51 25 49.4 N | 020 21 55.6 E |
| RA622               | 51 27 31.2 N | 020 08 52.5 E |
| RA623               | 51 25 36.5 N | 021 29 34.7 E |
| RA709               | 51 30 25.5 N | 021 56 31.4 E |
| RA823               | 52 16 29.6 N | 019 24 48.6 E |
| SUMAM               | 51 36 38.0 N | 022 02 27.0 E |
| VADOL               | 51 17 23.0 N | 022 06 09.0 E |