


STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO

TRANSITION ALTITUDE 6500

|                 |         |
|-----------------|---------|
| Kraków APPROACH | 133.030 |
| Rzeszów GROUND  | 121.805 |
| Rzeszów TOWER   | 126.805 |
| ATIS            | 124.955 |

Rzeszów - Jasionka  
RNP RWY 09  
ARTOB 1S DIBED 3N DIBED 3S ETITI 3S ETITI 3T  
ETITI 3W LUXAR 3S LUXAR 3W VELAX 3N

Correction: Page number changed.



**STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO**

**Rzeszów - Jasionka  
RNP RWY 09**

**ARTOB 1S DIBED 3N DIBED 3S ETITI 3S ETITI 3T ETITI 3W LUXAR 3S LUXAR 3W VELAX 3N**

**ARTOB 1S**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | ARTOB               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | RZ461               | 345 (352.2)            | 9.09          | +FL100   | -          | RNP 1    |
| 003             | TF              | RZ469               | 064 (070.6)            | 7.34          | +FL80    | -230       | RNP 1    |
| 004             | TF              | OBLEH               | 084 (091.4)            | 8.33          | +4000 ft | -230       | RNP 1    |

**DIBED 3N**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | DIBED               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | GIFIV               | 296 (302.9)            | 33.45         | +FL100   | -          | RNP 1    |
| 003             | TF              | RZ406               | 264 (271.5)            | 11.45         | +6000 ft | -          | RNP 1    |
| 004             | TF              | AMZAG               | 264 (271.3)            | 12.27         | +4000 ft | -230       | RNP 1    |

**DIBED 3S**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | DIBED               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | VAREN               | 266 (272.7)            | 15.15         | +FL100   | -          | RNP 1    |
| 003             | TF              | RZ491               | 265 (272.4)            | 19.10         | +FL80    | -          | RNP 1    |
| 004             | TF              | RZ731               | 313 (319.8)            | 8.65          | +FL80    | -230       | RNP 1    |
| 005             | TF              | OBLEH               | 266 (272.7)            | 12.46         | +4000 ft | -230       | RNP 1    |

**ETITI 3S**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | ETITI               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | RZ468               | 161 (167.9)            | 7.00          | +FL100   | -          | RNP 1    |
| 003             | TF              | PEXAS               | 161 (167.9)            | 10.67         | +FL100   | -230       | RNP 1    |
| 004             | TF              | RZ469               | 115 (122.5)            | 8.23          | +FL80    | -230       | RNP 1    |
| 005             | TF              | OBLEH               | 084 (091.4)            | 8.33          | +4000 ft | -230       | RNP 1    |

**ETITI 3T**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | ETITI               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | RZ411               | 133 (140.5)            | 7.07          | +FL100   | -          | RNP 1    |
| 003             | TF              | RZ412               | 134 (140.6)            | 7.99          | +7000 ft | -          | RNP 1    |
| 004             | TF              | INRUD               | 132 (139.4)            | 6.95          | +5000 ft | -230       | RNP 1    |

**ETITI 3W**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | ETITI               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | RZ468               | 161 (167.9)            | 7.00          | +FL100   | -          | RNP 1    |
| 003             | TF              | PEXAS               | 161 (167.9)            | 10.67         | +FL100   | -230       | RNP 1    |
| 004             | TF              | INRUD               | 081 (087.9)            | 10.41         | +5000 ft | -230       | RNP 1    |

**LUXAR 3S**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | LUXAR               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | RZ461               | 048 (054.8)            | 6.67          | +FL100   | -          | RNP 1    |
| 003             | TF              | RZ469               | 064 (070.6)            | 7.34          | +FL80    | -230       | RNP 1    |
| 004             | TF              | OBLEH               | 084 (091.4)            | 8.33          | +4000 ft | -230       | RNP 1    |

**LUXAR 3W**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | LUXAR               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | PEXAS               | 020 (026.9)            | 12.00         | +FL100   | -230       | RNP 1    |
| 003             | TF              | INRUD               | 081 (087.9)            | 10.41         | +5000 ft | -230       | RNP 1    |

**VELAX 3N**

| SEQUENCE NUMBER | PATH TERMINATOR | WAYPOINT IDENTIFIER | COURSE / TRACK °M (°T) | DISTANCE (NM) | ALTITUDE | SPEED (kt) | NAV SPEC |
|-----------------|-----------------|---------------------|------------------------|---------------|----------|------------|----------|
| 001             | IF              | VELAX               | -                      | -             | +FL100   | -          | RNP 1    |
| 002             | TF              | RZ438               | 234 (240.9)            | 8.50          | +FL100   | -          | RNP 1    |
| 003             | TF              | RZ441               | 234 (240.7)            | 13.98         | +FL80    | -          | RNP 1    |
| 004             | TF              | AMZAG               | 233 (240.2)            | 13.12         | +4000 ft | -230       | RNP 1    |

| WAYPOINT<br>IDENTIFIER | COORDINATES  |               |
|------------------------|--------------|---------------|
| AMZAG                  | 50 11 48.7 N | 021 42 52.6 E |
| ARTOB                  | 49 50 38.7 N | 021 20 53.4 E |
| DIBED                  | 49 53 18.0 N | 023 03 30.0 E |
| ETITI                  | 50 23 45.0 N | 021 13 11.0 E |
| GIFIV                  | 50 11 17.5 N | 022 19 46.3 E |
| INRUD                  | 50 06 51.0 N | 021 35 06.7 E |
| LUXAR                  | 49 55 48.0 N | 021 10 31.0 E |
| OBLEH                  | 50 01 51.2 N | 021 42 37.2 E |
| PEXAS                  | 50 06 29.4 N | 021 18 56.6 E |
| RZ406                  | 50 11 34.0 N | 022 01 57.9 E |
| RZ411                  | 50 18 17.7 N | 021 20 12.0 E |
| RZ412                  | 50 12 07.6 N | 021 28 05.6 E |
| RZ438                  | 50 25 11.6 N | 022 19 37.3 E |
| RZ441                  | 50 18 20.6 N | 022 00 36.0 E |
| RZ461                  | 49 59 38.2 N | 021 18 58.2 E |
| RZ468                  | 50 16 54.8 N | 021 15 28.4 E |
| RZ469                  | 50 02 04.1 N | 021 29 42.3 E |
| RZ491                  | 49 54 41.8 N | 022 10 34.4 E |
| RZ731                  | 50 01 17.9 N | 022 01 55.3 E |
| VAREN                  | 49 53 58.0 N | 022 40 06.0 E |
| VELAX                  | 50 29 20.0 N | 022 31 14.0 E |